

Oil Mist Separator

APPLICATIONS :-

- OIL MIST SEPERATOR
- SLIDING HEAD OIL FUMES
- TOOL GRINDING OIL FUMES
- EDM WIRE CUT
- BAR CUTTING



Cost Effective Oil Mist Separation

What is Oil fumes ?

Oil mist generate by machining operation and high pressure oil during grinding, drilling, turning process area


What is Oil mist hazarded ?

If oil fumes dilute in shop floor environment it can cause breathing related illness asthma, lung disease and even cancer

Why Fumax ?

Make in INDIA to the highest standard Fumax filters are the easy way to eliminate oil fumes from machining

4th stage filtration
to purify the
PM 50, PM 0.5
and harmful particles



- Develop and Design Mfg in the INDIA
- Easy and very chip to service and maintain
- Easy to use and install High filtration level and oil fumes removal at low cost

FRESH YOUR WORK AIR

A FUMAX OIL MIST SEPARATOR ERGONOMIC INCLINED DESIGN AND EASY CLEANING FEATURE BRINGING CLEANLINESS TO A REVOLUTIONIZED PREEMINT LEVEL. YOU NEVER SEEN FILTER LIFE AND OIL RECOVERY LIKE BEFORE

ADAVANCED TECHNOLOGY IN OIL CAPTURING -

OIL SEPARATION PROCESS FILTRATE CAPTURED FUMES OIL FLOWS INTO THE OIL DRAIN WITH THE HELP OF CENTRIFUGAL



EASY MAINTENANCE -

HIGH TEMPRATURE SMOOTH PAINT COATING
THE FILTER CAN BE EASILY WASHED WITH ONLY AIR AND WATER
EASY TO WIPE AND CLEAN
OIL REPELLENT PAINT IS PROCCED ON ALL SURFACE


ERGONOMIC INCLINED DESIGN -

UNIQUE AND COMPACT DESIGN DIRECT MOUNTING HELPS IN EFFICIENT ABSORPTION OF OIL



MODELS	A	B	C	D	E	F	G	H	I	J OIL DRAIN	K	L PCD
OFS 500	340	340	430	320	320	110	368	368	110	15	200	200
OFS 1000	340	340	500	320	390	160	368	368	160	15	200	250
OFS 1500	400	400	550	400	390	200	368	368	200	25	280	300
OFS 2000	400	400	600	400	450	200	368	368	200	25	280	300

MODELS	FLOW RATE (CMH)	PRESSURE (Pa)	POWER (HP)	INLET (MM)	NOISE LEVEL (dBa)	NET WEIGHT (kg)	RPM (RPM)
OFS 500	542	623	0.25	110	62	16	2835
OFS 1000	1024	1035	0.5	160	67	35	2835
OFS 1500	1542	1250	0.75	200	75	40	2835
OFS 2000	2024	1440	1.5	200	80	45	2835



AIR PELS TECHNIC BREATHE GREEN



Works :

Gate no. 82 A/p Shindewadi,
Tal. - Bhor, Dist. Pune- 412 205.



Office :

B/56, Rajashri Shahu Society,
Pune - Satara Road, Pune - 411 037.
Mobile no. 98 222 56 661

info@airpeloilmist.com
sales@airpeloilmist.com
Cont no - 8308946661
Cont no - 7350223225

sales@oil-fumes.com
www.oil-fumes.com
www.airpeloilmist.com